



Dale Haines
Operations Manager

Union Oil Company of California
3800 Centerpoint Drive
Suite 100
Anchorage, Alaska 99503
Tel 907 263 7951
Fax 907 263 7698
Email daleah@chevron.com

November 19, 2010

Mr. Chae Park
U.S. Environmental Protection Agency
Region 10, Water Compliance Section
1200 Sixth Avenue, OW-133
Seattle, WA 98101

RETURN RECEIPT REQUESTED - CERTIFIED MAIL 91 7108 2133 3937 7382 8265

Re: NPDES Permit No. AKG-31-5002
Trading Bay Production Facility October 2010 Discharge Monitoring Reports (DMR)

Dear Mr. Park:

Union Oil Company of California operates the Trading Bay Production Facility that discharges regulated effluents in Cook Inlet, Alaska under NPDES Permit No. AKG-31-5002. Pursuant to condition VI.B of the Permit, Union Oil Company of California is hereby submitting the October 2010 NPDES Discharge Monitoring Reports (DMRs) for the Trading Bay Production Facility.

We are using the forms provided by EPA with corrections to accommodate the reporting that is required by the permit. The corrections were approved by your Data Steward in an e-mail to Marilu Moreno-Jones dated September 3, 2010. We plan to use this same format for our future DMR submittals.

Consistent with the authorization in your e-mail of September 16, 2010, this letter certifies all of the 5 pages of DMRs for Trading Bay Production Facility attached to this letter.

If you have any questions, please direct them to Ms. Marilu Moreno-Jones at 907-263-7305 or via e-mail at mmjones@chevron.com.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Best regards,

Dale Haines

cc: ADEC / Certified Mail 91 7108 2133 3937 7382 8272

SCANNED

RECEIVED

NOV 22 2010

DEC
Division of Water Quality
Wastewater Discharge Program

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: UNION OIL COMPANY OF CALIFORNIA (UNOCAL)
 ADDRESS: P.O. BOX 196247
 ANCHORAGE, AK 99519-6247
 FACILITY: TRADING BAY TREATMENT FACILITY
 LOCATION: COOK INLET, Alaska
 ATTN: JOHN ZAGER, GENERAL MANAGER

AKG315002	015-A
PERMIT NUMBER	DISCHARGE NUMBER

DMR Mailing ZIP CODE: 99519

MINOR

(SUBR 02)

PRODUCED WATER AND SAND

External Outfall

MONITORING PERIOD			
MM/DD/YYYY		MM/DD/YYYY	
FROM	10/01/2010	TO	10/31/2010

No Discharge ☐

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
pH	SAMPLE MEASUREMENT	*****	*****	*****	NA	*****	NA	NA	NA	NA	NA
00400 V 0 See Comments	PERMIT REQUIREMENT	*****	*****	*****	6 MINIMUM	*****	9 MAXIMUM	SU		Monthly	GRAB
pH	SAMPLE MEASUREMENT	*****	*****	*****	7.0	*****	8.4	SU	0	Weekly	GRAB
00400 W 0 See Comments	PERMIT REQUIREMENT	*****	*****	*****	6 MINIMUM	*****	9 MAXIMUM	SU		Weekly	GRAB
Oil and grease	SAMPLE MEASUREMENT	*****	*****	*****	*****	NA	NA	NA	NA	NA	NA
03582 T 0 See Comments	PERMIT REQUIREMENT	*****	*****	*****	*****	29 MO AVG	42 DAILY MX	ug/L		Weekly	GRAB
Oil and grease	SAMPLE MEASUREMENT	*****	*****	*****	*****	23	30	ug/L	0	Weekly	COMP24
03582 U 0 See Comments	PERMIT REQUIREMENT	*****	*****	*****	*****	29 MO AVG	42 DAILY MX	ug/L		Weekly	COMP24
Flow, in conduit or thru treatment plant*	SAMPLE MEASUREMENT	3.246221	3.462186	Mgal/d	*****	*****	*****	*****	NA	Monthly	ESTIMA
50050 1 0 Effluent Gross	PERMIT REQUIREMENT	Req. Mon. MO AVG	Req. Mon. DAILY MX	Mgal/d	*****	*****	*****	*****		Monthly	ESTIMA
Produced water, free oil	SAMPLE MEASUREMENT	*****	NA	NA	*****	*****	*****	*****	NA	NA	NA
79834 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL	occur/mo	*****	*****	*****	*****		Daily	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my review of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	TELEPHONE		DATE
John Zager, General Manager Mid Continent/Alaska Business Unit		(907) 276-7600		11/19/2010
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA Code	NUMBER

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

NO DISCHARGE OF PRODUCED SAND IS ALLOWED

T = GRAB SAMPLE

U = COMPOSIT SAMPLE

V = DISCHARGE < 1 MGD (PREVIOUS MONTHS AVG RATE)

W = DISCHARGE > 1 MGD (PREVIOUS MONTH'S AVG RATE)

* Flow rates include deck drainage from Dolly Varden, Grayling, King Salmon, Monopod, and Steelhead Platforms.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: UNION OIL COMPANY OF CALIFORNIA (UNOCAL)
 ADDRESS: P.O. BOX 196247
 ANCHORAGE, AK 99519-6247
 FACILITY: TRADING BAY TREATMENT FACILITY
 LOCATION: COOK INLET, Alaska
 ATTN: JOHN ZAGER, GENERAL MANAGER

AKG315002	015-A
PERMIT NUMBER	DISCHARGE NUMBER

DMR Mailing ZIP CODE: 99519
 MINOR
 (SUBR 02)
 PRODUCED WATER AND SAND
 External Outfall

MONITORING PERIOD			
MM/DD/YYYY		MM/DD/YYYY	
FROM	10/01/2010	TO	10/31/2010

No Discharge ☐

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Nitrogen, ammonia total (as N) 00610 1 0 Effluent Gross	SAMPLE MEASUREMENT	*****	*****	*****	*****	0.1	0.1	mg/L	0	Quarterly	GRAB
	PERMIT REQUIREMENT	*****	*****	*****	*****	Req. Mon. MO AVG	Req. Mon. DAILY MX	mg/L		Quarterly	GRAB
Silver total recoverable 01079 1 0 Effluent Gross	SAMPLE MEASUREMENT	*****	*****	*****	*****	5	5	ug/L	0	Monthly	GRAB
	PERMIT REQUIREMENT	*****	*****	*****	*****	23 MO AVG	47 DAILY MX	ug/L		Monthly	GRAB
Silver total recoverable 01079 P 0 See Comments	SAMPLE MEASUREMENT	*****	*****	*****	*****	NA	NA	NA	NA	NA	NA
	PERMIT REQUIREMENT	*****	*****	*****	*****	23 MO AVG	47 DAILY MX	ug/L		Quarterly	CALCTD
Silver total recoverable 01079 Q 0 See Comments	SAMPLE MEASUREMENT	*****	*****	*****	*****	NA	NA	NA	NA	NA	NA
	PERMIT REQUIREMENT	*****	*****	*****	*****	23 MO AVG	47 DAILY MX	ug/L		Weekly	GRAB
Zinc, total recoverable 01094 1 0 Effluent Gross	SAMPLE MEASUREMENT	*****	*****	*****	*****	0.03	0.03	mg/L	0	Monthly	GRAB
	PERMIT REQUIREMENT	*****	*****	*****	*****	0.9 MO AVG	1.9 DAILY MX	mg/L		Monthly	GRAB
Zinc, total recoverable 01094 P 0 See Comments	SAMPLE MEASUREMENT	*****	*****	*****	*****	NA	NA	NA	NA	NA	NA
	PERMIT REQUIREMENT	*****	*****	*****	*****	0.9 MO AVG	1.9 DAILY MX	mg/L		Monthly	GRAB
Zinc, total recoverable 01094 Q 0 See Comments	SAMPLE MEASUREMENT	*****	*****	*****	*****	NA	NA	NA	NA	NA	NA
	PERMIT REQUIREMENT	*****	*****	*****	*****	0.9 MO AVG	1.9 DAILY MX	mg/L		Quarterly	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER John Zager, General Manager Mid Continent/Alaska Business Unit TYPED OR PRINTED	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to ensure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	TELEPHONE		DATE
		(907) 276-7600		11/19/2010
		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		MM/DD/YYYY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

P=MONT. REDUCE (II.G.6.a.1.)
 Q=MONT INCREASE (II.G.6.a.2.)
 R=ACCELERATED TESTING (III.A.7)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: UNION OIL COMPANY OF CALIFORNIA (UNOCAL)
 ADDRESS: P.O. BOX 196247
 ANCHORAGE, AK 99519-6247
 FACILITY: TRADING BAY TREATMENT FACILITY
 LOCATION: COOK INLET, Alaska
 ATTN: JOHN ZAGER, GENERAL MANAGER

AKG315002	015-A
PERMIT NUMBER	DISCHARGE NUMBER

DMR Mailing ZIP CODE: 99519
 MINOR
 (SUBR 02)
 PRODUCED WATER AND SAND
 External Outfall

MONITORING PERIOD			
MM/DD/YYYY		MM/DD/YYYY	
FROM	10/01/2010	TO	10/31/2010

No Discharge ☐

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Copper, total recoverable 01119 1 0 Effluent Gross	SAMPLE MEASUREMENT	*****	*****	*****	*****	5	5	ug/L	0	Monthly	GRAB
	PERMIT REQUIREMENT	*****	*****	*****	*****	47 MO AVG	117 DAILY MX	ug/L		Monthly	GRAB
Copper, total recoverable 01119 P 0 See Comments	SAMPLE MEASUREMENT	*****	*****	*****	*****	NA	NA	NA	NA	NA	NA
	PERMIT REQUIREMENT	*****	*****	*****	*****	47 MO AVG	117 DAILY MX	ug/L		Quarterly	GRAB
Copper, total recoverable 01119 Q 0 See Comments	SAMPLE MEASUREMENT	*****	*****	*****	*****	NA	NA	NA	NA	NA	NA
	PERMIT REQUIREMENT	*****	*****	*****	*****	47 MO AVG	117 DAILY MX	ug/L		Weekly	GRAB
Manganese, total recoverable 11123 1 0 Effluent Gross	SAMPLE MEASUREMENT	*****	*****	*****	*****	2	2	mg/L	0	Monthly	GRAB
	PERMIT REQUIREMENT	*****	*****	*****	*****	25 MO AVG	50 DAILY MX	mg/L		Monthly	GRAB
Manganese, total recoverable 11123 P 0 See Comments	SAMPLE MEASUREMENT	*****	*****	*****	*****	NA	NA	NA	NA	NA	NA
	PERMIT REQUIREMENT	*****	*****	*****	*****	25 MO AVG	50 DAILY MX	mg/L		Quarterly	GRAB
Manganese, total recoverable 11123 Q 0 See Comments	SAMPLE MEASUREMENT	*****	*****	*****	*****	NA	NA	NA	NA	NA	NA
	PERMIT REQUIREMENT	*****	*****	*****	*****	25 MO AVG	50 DAILY MX	mg/L		Weekly	GRAB
Total Aromatic Hydrocarbons 39942 1 0 Effluent Gross	SAMPLE MEASUREMENT	*****	*****	*****	*****	8	8	mg/L	0	Monthly	GRAB
	PERMIT REQUIREMENT	*****	*****	*****	*****	18 MO AVG	27 DAILY MX	mg/L		Monthly	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to ensure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.		TELEPHONE		DATE	
John Zager, General Manager Mid Continent/Alaska Business Unit TYPED OR PRINTED			(907) 276-7600		11/19/2010	
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT			AREA Code	NUMBER	MM/DD/YYYY	

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

P=MONT. REDUCE (II.G.6.a.1.)
 Q=MONT INCREASE (II.G.6.a.2.)
 R=ACCELERATED TESTING (III.A.7)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: UNION OIL COMPANY OF CALIFORNIA (UNOCAL)
 ADDRESS: P.O. BOX 196247
 ANCHORAGE, AK 99519-6247
 FACILITY: TRADING BAY TREATMENT FACILITY
 LOCATION: COOK INLET, Alaska
 ATTN: JOHN ZAGER, GENERAL MANAGER

AKG315002	015-A
PERMIT NUMBER	DISCHARGE NUMBER

DMR Mailing ZIP CODE: 99519
 MINOR
 (SUBR 02)
 PRODUCED WATER AND SAND
 External Outfall

MONITORING PERIOD	
MM/DD/YYYY	MM/DD/YYYY
FROM 10/01/2010	TO 10/31/2010

No Discharge ☐

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Total Aromatic Hydrocarbons	SAMPLE MEASUREMENT	*****	*****	*****	*****	NA	NA	NA	NA	NA	NA
39942 P 0	PERMIT REQUIREMENT	*****	*****	*****	*****	18 MO AVG	27 DAILY MX	mg/L		Quarterly	GRAB
See Comments											
Total Aromatic Hydrocarbons	SAMPLE MEASUREMENT	*****	*****	*****	*****	NA	NA	NA	NA	NA	NA
39942 Q 0	PERMIT REQUIREMENT	*****	*****	*****	*****	18 MO AVG	27 DAILY MX	mg/L		Weekly	GRAB
See Comments											
Total Aqueous Hydrocarbons	SAMPLE MEASUREMENT	*****	*****	*****	*****	8	8	mg/L	0	Monthly	GRAB
50259 1 0	PERMIT REQUIREMENT	*****	*****	*****	*****	Req. Mon. MO AVG	Req. Mon. DAILY MX	mg/L		Monthly	GRAB
Effluent Gross											
Total Aqueous Hydrocarbons	SAMPLE MEASUREMENT	*****	*****	*****	*****	NA	NA	NA	NA	NA	NA
50259 P 0	PERMIT REQUIREMENT	*****	*****	*****	*****	Req. Mon. MO AVG	Req. Mon. DAILY MX	mg/L		Quarterly	GRAB
Effluent Gross											
Total Aqueous Hydrocarbons	SAMPLE MEASUREMENT	*****	*****	*****	*****	NA	NA	NA	NA	NA	NA
50259 Q 0	PERMIT REQUIREMENT	*****	*****	*****	*****	Req. Mon. MO AVG	Req. Mon. DAILY MX	mg/L		Weekly	GRAB
Effluent Gross											
Mercury, total (as Hg)	SAMPLE MEASUREMENT	*****	*****	*****	*****	0.2	0.2	mg/L	0	Monthly	GRAB
71900 1 0	PERMIT REQUIREMENT	*****	*****	*****	*****	0.6 MO AVG	1.0 DAILY MX	ug/L		Monthly	GRAB
Effluent Gross											
Mercury, total (as Hg)	SAMPLE MEASUREMENT	*****	*****	*****	*****	NA	NA	NA	NA	NA	NA
71900 P 0	PERMIT REQUIREMENT	*****	*****	*****	*****	0.6 MO AVG	1.0 DAILY MX	ug/L		Quarterly	GRAB
See Comments											

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER John Zager, General Manager Mid Continent/Alaska Business Unit TYPED OR PRINTED	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	TELEPHONE		DATE
		(907) 276-7600		11/19/2010
		AREA Code	NUMBER	MM/DD/YYYY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

P=MONT. REDUCE (II.G.6.a.1.)
 Q=MONT INCREASE (II.G.6.a.2.)
 R=ACCELERATED TESTING (III.A.7)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: UNION OIL COMPANY OF CALIFORNIA (UNOCAL)
ADDRESS: P.O. BOX 196247
ANCHORAGE, AK 99519-6247
FACILITY: TRADING BAY TREATMENT FACILITY
LOCATION: COOK INLET, Alaska
ATTN: JOHN ZAGER, GENERAL MANAGER

AKG315002	015-A
PERMIT NUMBER	DISCHARGE NUMBER

DMR Mailing ZIP CODE: 99519
MINOR
(SUBR 02)
PRODUCED WATER AND SAND
External Outfall

MONITORING PERIOD			
MM/DD/YYYY		MM/DD/YYYY	
FROM	10/01/2010	TO	10/31/2010

No Discharge ☐

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Mercury, total (as Hg)	SAMPLE MEASUREMENT	*****	*****	*****	*****	NA	NA	NA	NA	NA	NA
71900 Q 0	PERMIT REQUIREMENT	*****	*****	*****	*****	0.6 MO AVG	1.0 DAILY MX	ug/L		Weekly	GRAB
See Comments											
Toxicity, Chronic*	SAMPLE MEASUREMENT	*****	*****	*****	*****	No Sample	No Sample	TUc	NA	Quarterly	GRAB
Dendroster excentricus	PERMIT REQUIREMENT	*****	*****	*****	*****	283 MO AVG**	568 DAILY MX**	toxic		See Permit	GRAB
TT000 1 0											
See Comments											
Toxicity, Chronic*	SAMPLE MEASUREMENT	*****	*****	*****	*****	No Sample	No Sample	TUc	NA	Annual	GRAB
Menidia beryllina	PERMIT REQUIREMENT	*****	*****	*****	*****	283 MO AVG**	568 DAILY MX**	toxic		See Permit	GRAB
TT000 1 0											
See Comments											
Toxicity, Chronic*	SAMPLE MEASUREMENT	*****	*****	*****	*****	No Sample	No Sample	TUc	NA	Annual	GRAB
Mytilus galloprovincialis	PERMIT REQUIREMENT	*****	*****	*****	*****	283 MO AVG**	568 DAILY MX**	toxic		See Permit	GRAB
TT000 1 0											
See Comments											
Toxicity, Chronic*	SAMPLE MEASUREMENT	*****	*****	*****	*****	NA	NA	NA	NA	NA	NA
TT000 R 0	PERMIT REQUIREMENT	*****	*****	*****	*****	283 MO AVG	568 DAILY MX	toxic		See Permit	GRAB
See Comments											
Toxicity, Chronic	SAMPLE MEASUREMENT	*****	*****	*****	*****	NA	NA	NA	NA	NA	NA
TT000 Q 0	PERMIT REQUIREMENT	*****	*****	*****	*****	283 MO AVG	568 DAILY MX	toxic		See Permit	GRAB
Effluent Gross											

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.		TELEPHONE	DATE
John Zager, General Manager Mid Continent/Alaska Business Unit			(907) 276-7600	11/19/2010
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA Code	NUMBER
				MM/DD/YYYY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

*Trading Bay Treatment Facility conducted its quarterly WET testing in February and May 2010.
*Trading Bay Treatment Facility conducted its annual three species WET testing in August 2010

**Section II.F.4 of the permit.

P=MONT. REDUCE (II.G.6.a.1.)

Q=MONT INCREASE (II.G.6.a.2.)

R=ACCELERATED TESTING (III.A.7)